

**WHEN CAN MY CHILD RETURN TO SCHOOL?** OHA/ODE CDC Guidance  
Updated 4/16/21



The list below gives school instructions, not medical advice.

Please contact your health care provider with health concerns.

**During 2020-2021, anyone exposed to a known positive COVID-19 case must stay home for 14 days.**

SYMPTOMS OF ILLNESS	THE STUDENT MAY RETURN AFTER... The list below tells the shortest time to stay home. A student may need to stay home longer for some illnesses.
<b>Fever:</b> temperature of 100.4°F [38°C] or greater	<b>Fever-free for 24 hours</b> without taking fever-reducing medicine <b>AND</b> after a COVID-19 <b>test is negative</b> , <b>OR 10 days</b> if not tested, <i>*If an alternative diagnosis has been provided by a healthcare provider student may return to school as indicated by their healthcare provider</i>
New on-set of <b>cough</b> <b>OR</b> New <b>difficulty breathing</b>	<b>Symptom-free for 24 hours AND</b> after a COVID-19 <b>test is negative</b> , <b>OR 10 days</b> if not tested.  If diagnosed with pertussis (whooping cough), the student must take 5 days of prescribed antibiotics before returning.
<b>Headache</b> with stiff neck or with fever	<b>Symptom-free</b> <u>OR</u> with orders from doctor to district nurse. Follow fever instructions if fever is present.
<b>Diarrhea:</b> 3 loose or watery stools in a day <b>OR</b> not able to control bowel movements	<b>Symptom-free for 48 hours</b>
<b>Vomiting:</b> one or more episode that is unexplained	<b>Symptom-free for 48 hours</b>
New <b>Sore Throat</b>	<b>Symptom-free</b> , Follow fever instructions if fever is present.
New and Unusual <b>Fatigue</b>	<b>Symptom-free</b> , Follow fever instructions if fever is present.
<b>Skin rash</b> or <b>open sores</b>	<b>Symptom-free</b> , which means rash is gone <u>OR</u> sores are dry or can be completely covered by a bandage
<b>Red eyes with eye discharge:</b> yellow or brown drainage from the eyes	<b>Symptom-free</b> , which means redness and discharge are gone <u>OR</u> with orders from doctor to district nurse
<b>Jaundice:</b> new yellow color in eyes or skin	<b>After the school has orders</b> from doctor or local public health authority to district nurse.
<b>Acting different without a reason:</b> unusually sleepy, grumpy, or confused	<b>Symptom-free</b> , which means return to normal behavior <u>OR</u> with orders from doctor to district nurse
<b>Major health event</b> , like an illness lasting 2 or more weeks <b>OR</b> a hospital stay.	<b>After the school has orders</b> from doctor to district nurse
<b>Student's health condition requires more care than school staff can safely provide</b>	<b>After measures are in place</b> for student's safety.

# ¿CUÁNDO PUEDE REGRESAR MI HIJO A LA ESCUELA? Guía de OHA/ODE CDC

Actualizada 4/16/21



La lista a continuación brinda instrucciones escolares, no consejos médicos.

Por favor comuníquese con su proveedor de atención médica si tiene inquietudes sobre la salud.

**Durante 2020-2021, cualquier persona expuesta a un caso de COVID-19 positivo debe quedarse en casa durante 14 días.**

SÍNTOMAS DE ENFERMEDAD	EL ESTUDIANTE PUEDE REGRESAR DESPUÉS...
<b>Fiebre:</b> temperatura de 100.4°F [38°C] o más	<b>Sin fiebre durante 24 horas</b> sin tomar medicamentos para reducir la fiebre <b>Y</b> después de que una prueba de COVID-19 <b>sea negativa</b> , <b>O 10 días</b> si no se hace la prueba, <i>*Si un proveedor de atención médica ha proporcionado un diagnóstico alternativo, el estudiante puede regresar a la escuela según lo indique su proveedor de atención médica.</i>
Nueva enfermedad de <b>tos O</b> Nueva <b>dificultad para respirar</b>	<b>Sin síntomas durante 24 horas Y</b> después de que una prueba COVID-19 <b>sea negativa</b> , <b>O 10 días</b> si no se hace la prueba.  Si se le diagnostica pertusis(tos ferina), el estudiante debe tomar 5 días de antibióticos recetados antes de regresar.
<b>Dolor de cabeza</b> con rigidez en el cuello o con fiebre.	<b>Sin síntomas O</b> con órdenes del médico a la enfermera del distrito. Siga las instrucciones para la fiebre si hay fiebre.
<b>Diarrea:</b> 3 deposiciones blandas en un día <b>O</b> incapaz de controlar deposiciones	<b>Sin síntomas por 48 horas</b>
<b>Vómito:</b> uno o más episodios inexplicables	<b>Sin síntomas por 48 horas</b>
<b>Dolor de Garganta</b> Nuevo	<b>Sin Síntomas</b> , Siga las instrucciones para la fiebre si hay fiebre presente.
<b>Fatiga</b> Inusual o Nueva	<b>Sin Síntomas</b> , Siga las instrucciones para la fiebre si hay fiebre presente.
<b>Erupción cutánea o llagas abiertas</b>	<b>Sin síntomas</b> , lo que significa que el sarpullido ha desaparecido <b>O</b> las llagas están secas o pueden cubrirse completamente con un vendaje
<b>Ojos rojos con secreción ocular:</b> secreción amarilla o marrón de los ojos.	<b>Sin síntomas</b> , lo que significa que el enrojecimiento y la secreción han desaparecido <b>O</b> con órdenes del médico a la enfermera del distrito
<b>Ictericia:</b> nuevo color amarillo en ojos o piel	<b>Después de que la escuela tenga órdenes</b> del médico o la autoridad de salud pública local hasta la enfermera del distrito.
<b>Actuar diferente sin una razón:</b> inusualmente somnoliento, gruñón o confundido	<b>Sin síntomas</b> , lo que significa volver al comportamiento normal <b>O</b> con órdenes del médico a la enfermera del distrito
<b>Evento de salud importante</b> , como una enfermedad que dure 2 semanas o más <b>O</b> una estadía en el hospital	<b>Después de que la escuela tenga órdenes</b> del médico a enfermera de distrito

**La condición de salud del estudiante requiere más atención que la que el personal de la escuela puede brindar de manera segura.**

**después de que las medidas estén en su lugar por seguridad del estudiante.**